




AGT Ağaç San. Tic. A.Ş., Organize Sanayi Bölgesi  
3. Kısım, 35. Cadde Antalya, 07190 Türkiye

15

Performans Beyan No / Performance Declaration No: NTR01

TS EN 14041: 2018 'e göre, AGT laminat parke tüm tipleri ve versiyonları / All types and versions of AGT laminate flooring according to TS EN 14041: 2018

Kullanım Yeri / Place of use:	İç mekan/Interior
Yangına Tepki / Reaction to fire:	Bfl-s1
Kayganlık / Slipperiness:	DS
Formaldehit / Formaldehyde: (EN 717-1 / TS EN 717-1)	E1 / E0
Pentaklorofenol Kantitatif / Pentachlorophenol quantitatives:	DL



## PERFORMANS BEYANI / PERFORMANCE STATEMENT

ÜRÜN TÜRÜNÜN TANIMLAYICI / KİMLİK KODU /  
PRODUCT TYPE IDENTIFICATION CODE / ID CODE

NTR01

TÜR VE TANIMLAYICI İŞARET /  
TYPE AND DESCRIPTIVE SIGN

EN 13329 ve EN 14041:2018'e standardı baz alınarak üretilen AGT NATURA parke tüm tipleri ve versiyonları /  
According to EN 13329 and EN 14041:2018 AGT NATURA parquet all types and versions

KULLANIM AMACI / AMAÇLARI /  
PURPOSE / PURPOSES OF USE:

EN 14041:2018'e göre iç mekan uygulamaları için zemin kaplama /  
14041:2018 floor covering for interior applications

İMALATÇI /  
MANUFACTURER

AGT Ağaç San.Tic.A.Ş. Organize San. Bölgesi/ANTALYA-TÜRKİYE

YETKİLİ TEMSİLCİSİ /  
AUTHORIZED REPRESENTATIVE

-

PERFORMANS DEĞİŞMEZLİĞİNİN DEĞERLENDİRİLMESİ VE DOĞRULANMASI SİSTEMİ/SİSTEMLERİ /  
ASSESSMENT AND VERIFICATION OF PERFORMANCE INVARIANCE SYSTEM / SYSTEMS

EN 14041:2018'e göre Sistem 3 /  
EN 14041:2018'e göre System 3


UYUMLANDIRILMIŞ STANDART /  
HARMONIZED STANDARD



EN 14041:2018

ONAYLANMIŞ KURULUŞ / KURULUŞLAR /  
NOTIFIED BODY / BODIES

Notified Body No.1389 – MENDELU, The Joinery Products Testing Institute in Zlin, Louky 304

## BEYAN EDİLEN PERFORMANS / PERFORMANSLAR / DECLARED PERFORMANCE/S

KARATERİSTİĞİ / ÖZELLİKLERİ / HARACTERISTICS	TEST BİLGİLERİ / TEST INFORMATION	PERFORMANS/SIN IFLANDIRMA / CLASSIFICATION	UYUMLANDIRILMIŞ STANDART / HARMONIZED STANDARD
EN 13501-1'E GÖRE YANGINA TEPKİ / REACTION TO FIRE ACCORDING TO EN 13501- 1+ A1	Test No. AZL-15/0538 issued on 11.06.2015 AZL No.1000 – Textile Institute, Václavská 6, Brno		EN 14041:2018
EN 13893'E GÖRE KAYMA DİRENCİ / SLIP RESISTANCE ACCORDING TO EN 13893	Test No. AZL-15/0538 issued on 11.06.2015 AZL No.1000 – Textile Institute, Václavská 6, Brno		EN 14041:2018
EN 717-1' E GÖRE FORMALDEHİT SINIFI / FORMALDEHYDE CLASS ACCORDING TO EN 717-1	Test Report No. AB-0001-T issued on 07.08.2020 402091 – TSE Construction Materials Laboratory (Gebze)		TS EN 717-1
CEN/TR 14823:2203 E GÖRE AHŞAP-AZ KROMATOĞRAFİK YÖNTEMLE PENTAKLOROFENOL KANTİTATİF TAYİNİ / QUANTİTATIVE DETERMINATION OF PENTACHLOROPHENOL IN WOOD – CHROMATOĞRAFİK METHOD ACCORDİNG TO CEN/TR 14823:2203	Test No. AZL-15/0538 issued on 11.06.2015 AZL No.1000 – Textile Institute, Václavská 6, Brno	 <0,1 mg/kg (ppm)	EN 14041:2018
EN 12664'E GÖRE ISIL DİRENÇ DEĞERİ / THERMAL RESISTANCE VALUE ACCORDING TO EN 12664	Test Report No. 443029 TSE Deney ve Kalibrasyon Merkezi Başkanlığı Yapı Malzemeleri Yangın ve Akustik Laboratuvarı Müdürlüğü / Test No. 443029 Headship Of Tse Test And Calibration Center Construction Materials Fire And Acoustics Laboratory Directorate		EN 14041:2018
NALFA LF-01-2019	North Carolina State University Wood Product Laboratory, Project number: WPL 20-1813		NALFA Standards Publication LF 01-2019
EPD ÇEVRESEL ÜRÜN BEYANI / ENVIRONMENTAL PRODUCT DECLARATIONS, EPD	EPD International AB Box 210 60 SE-100 31, Stockholm Sweden, EPD Registration Number: S-P-01915	S-P-01915 EPD® www.epdturkey.org 	ISO 14025 ve EN 15804:2012+A2:2019

KARATERİSTİĞİ / ÖZELLİKLERİ / HARACTERISTICS	TEST BİLGİLERİ / TEST INFORMATION	PERFORMANS/SIN IFLANDIRMA / CLASSIFICATION	UYUMLANDIRILMIŞ STANDART / HARMONIZED STANDARD
BLUE ANGEL	On the basis of the contract on the use of the environmental label no. 34338 based on DE-UZ 176 Edition 2013	 <a href="http://www.blauer-engel.de/uz1">www.blauer-engel.de/uz1</a> <ul style="list-style-type: none"> <li>low emissions and pollutants</li> <li>wood from sustainable forest</li> <li>no adverse impact on health in living environment</li> </ul>	ECO LABEL
ANTİBAKTARİYEL / ANTİBACTERIAL	HOHENSTEIN lab. GmbH Co. KG, Test Report No: 20.8.3.0380		DIN EN ISO 20743
ELEKTROSTATİK ÖZELLİKLER / ELECTROSTATIC PROPERTIES	NPD		EN 1815 EN1081
TERMAL İLETKENLİK / THERMAL CONDUCTIVITY	NPD		EN 12667 EN ISO 10456

Uygun Teknik Belge  
ve/veya Özel Teknik  
Belgelendirme /  
Appropriate Technical  
Documentation and / or  
Special Technical  
Documentation

Yukarıdaki maddelerde, 305/2011 sayılı yönetmelik (AB) gereğince hazırlanmış olup, performans tablosunu karşıladığına dair uygunluğu **11.06.2015** tarihinde beyan edilmiştir.

Doküman **06.04.2021(2.)** tarihinde revize edilmiştir. /

It has been prepared in accordance with Regulation (EU) No 305/2011 and has been declared on **11.06.2015** for its compliance with its performance statement.

The document was revised on **06.04.2021(2.)**

**İSİM / NAME**

GÜLTEKİN SİLAHŞÖR

**UNVAN / TITLE**

ENDÜSTRİYEL GELİŞİM VE KALİTE DİREKTÖRÜ /  
INDUSTRIAL DEVELOPMENT AND QUALITY DIRECTOR

**AGT** Ağaç San.ve Tic.A.Ş.  
Org.San.Bölg. 3. Kısım 35. Cd. No:7 Döşemealtı - ANTALYA  
Tel.: 0.242. 249 17 17 • Fax: 0.242. 249 17 27  
Antalya Kurumlar Vergisi Dairesi: 098 074 2719  
Mersis No: TR 08 0742 7150 0009

